

Region VIII
OPERATION
TIMBANG
RESULTS 2012



PROVINCES	OPT COVERAGE (based on 2000 proj. pop)			% PREVALENCE		
	2011	2012	 	2011	2012	 
BILIRAN	75.69	77.93		13.11	12.38	
E. SAMAR	79.60	75.94		11.83	10.82	
LEYTE	70.50	69.25		15.73	15.12	
N. SAMAR	76.30	80.43 		17.69	15.80	
SAMAR	69.30	62.76		21.54	17.88	
So. LEYTE	73.40	69.21		7.95	7.82	


CITIES	OPT COVERAGE (based on 2000 proj. pop)			% PREVALENCE		
	2011	2012	 	2011	2012	 
BAYBAY	63.73	62.27		13.97	13.56	
BORONGAN	63.48	61.95		14.05	11.47	
CALBAYOG	80.78 	60.81		11.76	12.31	
CATBALOGAN	67.57	73.57		27.75	18.31	
MAASIN	62.90	74.84		5.03	4.69	
ORMOC	93.77 	93.70 		12.57	11.99	
TACLOBAN	66.92	71.38		9.88	8.51	
REGION VIII	73.15	71.71		14.98	13.68	



Legend

- Very High (≥ 30)
- High (20 - 29)
- Medium (10 - 19)
- Low (≤ 9)

Magnitude of underweight children, 0-5.0 years old (0-60 months): Philippines and Eastern Visayas, 2011






Legend

- Very High (≥ 40)
- High (30 - 39)
- Medium (20 - 29)
- Low (< 20)

Magnitude of stunted children, 0-5.0 years old (0-60 months): Philippines and Eastern Visayas, 2011





Legend

- Critical (≥ 15)
- Serious (10 - 14)
- Poor (5 - 9)
- Acceptable (< 5)

Magnitude of wasted children, 0-5.0 years old (0-60 months): Philippines and Eastern Visayas, 2011

FNRI

FOOD AND
NUTRITION
RESEARCH
INSTITUTE


DEPARTMENT
OF
SCIENCE AND
TECHNOLOGY




Comparative OPT 2011-2012 Results

Province/ City	2011 Prev (%)	2012 Prev (%)	% Change	 
Biliran	13.11	12.38	0.73	
Eastern Samar	11.83	10.82	1.01	
Leyte	15.73	15.12	0.61	
Northern Samar	17.69	15.80	1.89	
Samar	21.54	17.88	3.66	
Southern Leyte	7.95	7.82	0.13	
Baybay City	13.97	13.56	0.41	
Borongan City	14.05	11.47	2.58	
Calbayog City	11.76	12.31	-0.55	
Catbalogan City	27.75	18.31	9.44	
Maasin City	5.03	4.69	0.34	
Ormoc City	12.57	11.99	0.58	
Tacloban City	9.88	8.51	1.37	
Region VIII	14.98	13.68	1.30	


Prevalence of Underweight According to Age Groups (0-71 months)



Prevalence According to Gender



Prevalence According to Gender



PREVALENCE BY CONGRESSIONAL DISTRICTS

DISTRICTS	% PREVALENCE	RANKING
SAMAR 1ST DISTRICT •Calbayog City •Almagro •Gandara •Matuguinao, •Pagsanghan •San Jorge •Sta. Margarita •Sto. Niño •Tagapul-an •Tarangnan	17.49	1

DISTRICTS	% PREVALENCE	RANKING
SAMAR 2ND DISTRICT • Catbalogan City • Basey • Calbiga • Daram • Hinabangan • Jiabong • Marabut • Motiong • Paranas • Pinabacdao • San Jose de Buan • San Sebastian • Sta. Rita • Talalora • Villareal • Zumarraga	17.12	2

DISTRICTS	% PREVALENCE	RANKING
N. SAMAR 2ND DISTRICT •Catubig •Gamay •Laoang •Lapinig •Las Navas •Mapanas •Palapag •Pambujan •San Roque •Silvino Lobos	16.34	3
LEYTE 5TH DISTRICT • Baybay City •Abuyog •Bato •Hilongos •Hindang •Inopacan •Javier •Mahaplag •Matalom	15.63	4

DISTRICTS	% PREVALENCE	RANKING
N. SAMAR 1ST DISRICT • Allen • Biri • Bobon • Capul • Catarman • Lavezares • Lope de Vega • Mondragon • Rosario • San Antonio • San Isidro • San Jose • San Vicente • Victoria	15.20	5

DISTRICTS	% PREVALENCE	RANKING
LEYTE 3RD DISTRICT • Calubian • Leyte 2x • San Isidro • Tabango • Villaba	15.07	6
LEYTE 2ND DISTRICT • Barugo • Burauen • Capoocan • Carigara • Dagami • Dulag • Jaro • Julita • La Paz • McArthur • Mayorga • Pastrana • Tabontabon • Tunga	13.90	7

DISTRICTS	% PREVALENCE	RANKING
LEYTE 4TH DISTRICT • Ormoc City •Albuera •Isabel •Kananga •Matag-ob •Merida •Palompon	13.26	8
LEYTE 1ST DISTRICT • Tacloban City •Alang-Alang •Babatngon •Palo •San Miguel •Sta. Fe •Tanauan •Tolosa	12.98	9

**DISTRICTS
(Lone Districts)**

% PREVALENCE

RANKING

BILIRAN

12.38

10

E. SAMAR

10.91


11

SO. LEYTE

7.27

12

Trend in the Prevalence of Malnutrition Among 0 - 6 Children in Region VIII



Where ARE We Now?(MDG Watch)

Provinces/ City	2011 Target	2011 Achieved	2012 Target	2012 Achieved	2013 Target
Biliran	16.7	13.11	15.6	12.38	14.5
E. Samar	13.7	12.94	12.8	11.15	11.9
Leyte	13.7	14.87	12.8	14.34	11.9
N. Samar	20.3	17.69	18.9	15.80	17.6
Samar	16.4	24.65	15.3	18.10	14.2
So. Leyte	10.4	7.95	9.7	7.82	9
Calbayog City	13.2	11.76	12.3	12.31	11.4
Maasin City	7.1	5.03	6.6	4.69	6.1
Ormoc City	12	12.57	11.2	11.99	10.4
Tacloban City	2.5	9.88	2.3	8.51	2.1
REGION VIII	14.3	15.00	13.40	13.72	12.40

Top 20 Nutritionally Depressed Municipalities, 2012

Municipality	OPT Coverage	Prevalence (%)
	2012	2012
1. Matuguinao, Samar	80.12	26.3
2. Sta. Fe, Leyte	83.02	26
3. Pastrana, Leyte	99.83	25.32
4. Las Navas, N. Samar	105.56	23.86
5. Sta. Rita, Samar	95.69	22
6. Kananga, Leyte	86.45	21.34
7. Mondragon, N. Samar	93.02	21.25
8. TabonTabon, Leyte	87.55	21.04
9. Javier, Leyte	90.06	20.19
10. San Miguel, Leyte	85.55	19.87

Top 20 Nutritionally Depressed Municipalities, 2012

Municipality	OPT Coverage	Prevalence (%)
	2012	2012
11. Alang-Alang, Leyte	85.81	19.37
12. Pambujan, N. Samar	86.48	19.28
13. Tabango, Leyte	99.51	18.26
14. San Roque, N. Samar	90.22	18.14
15. San Jose, N. Samar	90.03	17.55
16. Lope de Vega, N. Samar	86.94	17.49
17. Catubig, N. Samar	82.19	17.08
18. Mayorga, Leyte	82.17	16.77
19. Jiabong, Samar	81.57	16.58
20. Mc Arthur, Leyte	84.34	16.40

Comparative Ranking 2011-2012

Municipality	Prevalence (%)	Municipality	Prevalence (%)
2011		2012	
1. San Jorge, Samar	30.50	1. Matuguinao, Samar	26.3
2. Silvino Lobos, N. Samar	29.72	2. Sta. Fe, Leyte	26
3. San Jose de Buan, Samar	29.66	3. Pastrana, Leyte	25.32
4. San Sebastian, Samar	29.21	4. Las Navas, N. Samar	23.86
5. Jipapad, E. Samar	28.87	5. Sta. Rita, Samar	22

Comparative Ranking 2011-2012

Municipality	Prevalence (%)	Municipality	Prevalence (%)
2011		2012	
6. Matuguinao, Samar	28.64	6. Kananga, Leyte	21.34
7. Pagsanghan, Samar	28.40	7. Mondragon, N. Samar	21.25
8. Sto. Niño, Samar	28.33	8. Tabon Tabon, Leyte	21.04
9. Paranas, Samar	28.27	9. Javier, Leyte	20.19
10. Zumarraga, Samar	27.49	10. San Miguel, Leyte	19.87

Comparative Ranking 2011-2012

Municipality	Prevalence (%)	Municipality	Prevalence (%)
2011		2012	
11. Las Navas, N. Samar	27.18	11. Alang-Alang, Leyte	19.37
12. Jaro, Leyte	25.75	12. Pambujan, N. Samar	19.28
13. Sta. Margarita, Samar	25.58	13. Tabango, Leyte	18.26
14. Gandara, Samar	25.43	14. San Roque, N. Samar	18.14
15. Tarangnan, Samar	25.03	15. San Jose, N. Samar	17.55

Comparative Ranking 2011-2012

Municipality	Prevalence (%)	Municipality	Prevalence (%)
2011		2012	
16. Mahaplag, Leyte	24.28	16.Lope de Vega,N. Samar	17.49
17. Sta. Fe, Leyte	23.69	17.Catubig,N. Samar	17.08
18. Capoocan, Leyte	23.45	18.Mayorga,Leyte	16.77
19. Mondragan, N. Samar	23.19	19. Jiabong, Samar	16.58
20. Sta. Rita, Samar	21.98	20.Mc Arthur, Leyte	16.40

Top 10 Nutritionally Better Off Municipalities, 2012

Municipality	OPT Coverage	Prevalence (%)
	2012	2012
1. Limasawa, So. Leyte	100	2.04
2. Anahawan, So. Leyte	85.40	2.47
3. Llorente, E. Samar	100.25	4.72
4. Balangiga, E. Samar	98.63	4.73
5. San Vicente, N. Samar	107.00	6.25
6. Sulat, E. Samar	94.41	6.50
7. Liloan, So. Leyte	87.70	7.04
8. Allen, N. Samar	82.37	7.08
9. Isabel, Leyte	81.79	7.84
10. Taft E. Samar	98.67	7.93

Comparative Ranking 2011-2012

Municipality	Prevalence (%)	Municipality	Prevalence (%)
2011		2012	
1. Limasawa, So. Leyte	2.09	1. Limasawa, So. Leyte	2.04
2. Anahawan, So. Leyte	3.01	2. Anahawan, So. Leyte	2.47
3. Llorente, E. Samar	4.77	3. Llorente, E. Samar	4.72
4. San Juan, So. Leyte	4.85	4. Balangiga, E. Samar	4.73
5. Tomas Oppus, So. Leyte	5.08	5. San Vicente, N. Samar	6.25

Comparative Ranking 2011-2012

Municipality	Prevalence (%)	Municipality	Prevalence (%)
2011		2012	
6. Silago, So. Leyte	5.60	6.Sulat, E. Samar	6.50
7. Liloan, So. Leyte	6.67	7.Liloan,So. Leyte	7.04
8. Hinunangan, So.Leyte	6.74	8.Allen,N. Samar	7.08
9. Taft, E. Samar	6.85	9. Isabel, Leyte	7.84
10. Balangiga, E.Samar	7.02	10.Taft,E. Samar	7.93



Prevalence Rate of Malnutrition in school children 2012 (Baseline Data)

Province	Normal	Wasted	Severely Wasted	Overweight	Obese
Biliran	87.40	8.97	2.52	0.90	0.21
E. Samar	87.98	8.53	2.55	0.77	0.17
Leyte A	84.00	11.21	3.84	0.80	0.15
Leyte B	83.52	10.87	4.05	1.23	0.34
N.Samar	83.55	10.64	4.48	1.09	0.24
Samar	84.85	9.65	2.86	2.00	0.65
So. Leyte	93.71	4.37	0.72	0.93	0.27
City					
Borongan	90.81	4.74	1.33	2.46	0.65
Calbayog	83.12	11.04	3.85	1.62	0.37
Maasin	90.53	6.96	0.99	1.25	0.27
Ormoc	82.07	12.26	3.96	1.44	0.27
Tacloban	81.02	10.94	4.54	2.97	0.52
REGION VIII	85.26	9.72	3.42	1.29	0.31



Ideal Nutrition Situation

- Provinces

= 9.6% and above

- Municipalities and Cities

= 12.3 % and above

Prevalence Rate of Malnutrition in School Children 2012 (Baseline Data)

Province	Wasted	Severely Wasted	Prevalence (%)	
Biliran	8.97	2.52	11.49	😞
E. Samar	8.53	2.55	11.08	😞
Leyte A	11.21	3.84	15.05	😞
Leyte B	10.87	4.05	14.92	😞
N.Samar	10.64	4.48	15.12	😞
Samar	9.65	2.86	12.51	😞
So. Leyte	4.37	0.72	5.09	😊

Prevalence Rate of Malnutrition in School Children 2012 (Baseline Data)

Cities	Wasted	Severely Wasted	Prevalence (%)	
Borongan	4.74	1.33	6.07	
Calbayog	11.04	3.85	14.89	
Maasin	6.96	0.99	7.95	
Ormoc	12.26	3.96	16.22	
Tacloban	10.94	4.54	15.48	

THANK YOU

