

North Cotabato

Comparative Ranking of Municipalities According to Prevalence of Underweight (UW) + Severely Underweight (SUW) Children, 0-71 mos PSC, Region XII (CY 2010-2014)

Municipality	2010		2011		2012		2013		2014	
	Prevalence Rate	Rank	Prevalence Rate	Rank	Prevalence Rate	Rank	Prevalence Rate	Rank	Prevalence Rate	Rank
Alamada	7.52	12	6.43	13	5.72	11	6.70	8	5.61	10
Aleosan	21.12	1	17.27	2	11.8	4	3.57	16	3.21	16
Antipas	8.8	9	8.35	9	5.18	14	3.61	15	5.84	8
Arakan	20.09	2	18	1	14.59	2	12.17	1	8.93	3
Banisilan	13.01	5.5	12.47	4	8.26	7	6.50	10	6.86	4
Carmen	5.55	17	5.08	15	4.65	16	3.20	17	4.41	13
Kabacan	12.15	7	13.34	3	12.93	3	8.28	3	9.27	2
Libungan	6.79	16	6.59	11	5.36	12	5.82	11	5.16	11
Magpet	15.22	4	11.05	6	6.92	10	7.87	5	9.50	1
Makilala	15.37	3	9.06	7	9.07	5	9.24	2	NO DATA	
Matalam	11.14	8	11.11	5	19.41	1	8.01	4	6.06	6
Midsayap	8.36	11	5	16	8.43	6	4.06	14	3.45	15
M'lang	8.45	10	7.23	10	6.97	9	7.41	6	5.95	7
Pigcawayan	6.35	15	5.43	14	4.54	17	4.36	12	4.08	14
Pikit	7.02	14	6.45	12	4.69	15	6.52	9	5.63	9
President Roxas	7.15	13	8.48	8	7.95	8	7.08	7	6.20	5
Tulunan	13.01	5.5	3.28	17	5.32	13	4.28	13	4.96	12
Province	10.21	2	8.32	6	8.01	4.5	6.22	8	5.57	8

Region	10.54	9.31	8.29	8.00	7.76
---------------	--------------	-------------	-------------	-------------	-------------

North Cotabato Province decreased its prevalence rate from 2013-2014. Among the municipalities, Magpet ranked number 1 with high prevalence rate for 2014. Municipality of Kabacan ranked number 2 and belong to the top three with high prevalence rate from 2011-2014 while Arakan ranked number 3 and belong to the top three with high prevalence rate for five consecutive years.

South Cotabato

Comparative Ranking of Municipalities According to Prevalence of Underweight (UW) + Severely Underweight (SUW) Children, 0-71 mos PSC, Region XII (CY 2010-2014)

Municipality	2010		2011		2012		2013		2014	
	Prevalence Rate	Rank	Prevalence Rate	Rank	Prevalence Rate	Rank	Prevalence Rate	Rank	Prevalence Rate	Rank
Banga	8.37	7	7.35	6	8.54	5	8.47	5	8.84	4
Lake Sebu	18.03	1	16.36	1	13.26	2	12.94	2	16.60	1
Norala	8.6	6	6.14	8	5.05	7	3.92	9	3.74	8
Polomolok	7.32	8	6.67	7	4.66	9	4.47	8	3.46	10
Sto. Niño	6.15	9	5.35	9	4.90	8	5.68	7	7.89	6
Surallah	5.26	10	3.82	10	3.44	10	2.36	10	3.59	9
Tampakan	8.87	5	11.13	4	8.05	6	7.48	6	5.81	7
Tantangan	10.62	4	10.75	5	9.74	4	8.66	4	8.49	5
T'boli	16.87	2	15.7	2	20.84	1	14.09	1	11.45	2
Tupi	12.32	3	11.61	3	10.23	3	10.25	3	8.98	3

Province	9.66	3	8.82	5	8.39	3	7.63	5	7.26	6
Region	10.54		9.31		8.29		8.00		7.76	

Based on the data from 2010- 2014 , South Cotabato Province showed slightly decrease in its prevalence rate. Among the municipalities, Lake Sebu ranked number 1 with high prevalence rate for 2014 followed by T'boli and Tupi which remained to be the top 3 municipalities with high prevalence rate for five consecutive years.

Sarangani

Comparative Ranking of Municipalities According to Prevalence of Underweight (UW) + Severely Underweight (SUW) Children, 0-71 mos PSC, Region XII (CY 2010-2014)

Municipality	2010		2011		2012		2013		2014	
	Prevalence Rate	Rank	Prevalence Rate	Rank	Prevalence Rate	Rank	Prevalence Rate	Rank	Prevalence Rate	Rank
Alabel	9.5	6	11.55	3	9.90	3	11.51	2	15.43	2
Glan	11.18	3	8.68	6	9.20	4	10.64	3	13.05	4
Kiamba	13.97	2	12.52	1	10.51	2	13.62	1	15.69	1
Maasim	9.7	5	9.79	5	7.35	6	7.58	6	9.01	5
Maitum	10.04	4	9.84	4	8.59	5	7.85	5	7.28	6
Malapatan	14.08	1	11.68	2	11.08	1	9.04	4	13.19	3

Malungon	1.47	7	2.67	7	2.74	7	2.28	7	1.55	7
Province	9.18	5	8.9	4	8.01	4.5	8.48	2	10.30	2
Region	10.54		9.31		8.29		8.00		7.76	

Sarangani Province showed an increase in its prevalence rate from 2013-2014. Among the municipalities, Kiamba ranked number 1 with high prevalence rate. Alabel ranked number 2 and belong to the top 3 with high prevalence rate from 2011-2014. While municipality of Malapatan showed an increase in its prevalence rate from 2013-2014 and ranked number 3.

Sultan Kudarat

Comparative Ranking of Municipalities According to Prevalence of Underweight (UW) + Severely Underweight (SUW) Children, 0-71 mos PSC, Region XII (CY 2010-2014)

Municipality	2010		2011		2012		2013		2013	
	Prevalence Rate	Rank	Prevalence Rate	Rank	Prevalence Rate	Rank	Prevalence Rate	Rank	Prevalence Rate	Rank

Bagumbayan	24.77	2	17.12	4	11.29	6	10.04	9	11.65	4
Cumbio	21.87	4	20.93	1	18.72	1	21.30	1	13.14	3
Esperanza	10.62	8	8.79	10	12.00	5	11.28	7	10.26	7
Isulan	7.62	11	6.72	11	5.49	11	8.24	11	6.46	11
Kalamansig	15.19	7	12.06	7	8.75	8	17.42	2	14.12	2
Lambayong	10.48	10	9.35	8	18.52	2	16.97	4	11.39	5
Lebak	17.39	6	17.64	3	7.35	10	11.46	6	9.50	8
Lutayan	18	5	9.21	9	7.84	9	8.67	10	7.50	10
Palimbang	24.49	3	12.25	6	13.48	4	17.29	3	9.26	9
President Quirino	10.51	9	13.88	5	11.20	7	10.29	8	10.89	6
Sen. Ninoy Aquino	28.5	1	18.21	2	15.59	3	16.77	5	21.30	1
Province	15.82	1	12.49	1	10.68	1	12.56	1	10.63	1
Region	10.54		9.31		8.29		8.00		7.76	

Sultan Kudarat Province decreased its prevalence rate from 2013-2014. Among the municipalities, Senator Ninoy Aquino showed significant increase in its prevalence rate for 2014 and ranked number 1. Municipality of Kalamansig remained its ranked from 2013-2014 while Cumbio ranked number 3 for 2014 and belong to the top three with high prevalence rate for four consecutive years

Cities

Comparative Ranking of Cities According to Prevalence of Underweight (UW) + Severely Underweight (SUW) Children, 0-71 mos PSC, Region XII (CY 2010-2014)

City	2010		2011		2012		2013		2014	
	Prevalence Rate	Rank	Prevalence Rate	Rank	Prevalence Rate	Rank	Prevalence Rate	Rank	Prevalence Rate	Rank
Cotabato City	No Data		10.52	1	9.18	1	8.40	1	VERY LOW COVERAGE	
General Santos City	8.99	2	10.27	2	7.68	3	7.42	4	7.70	2
Kidapawan City	8.81	3	7.66	3	7.79	2	7.46	3	8.02	1
Koronadal City	5.64	4	4.73	5	4.16	5	5.97	5	5.50	4
Tacurong City	9.36	1	7.3	4	6.81	4	8.28	2	6.82	3
Region	10.54		9.31		8.29		8.00		7.76	

Among the cities, Kidapawan City ranked number 1 with high prevalence rate for 2014 and belong to the top three for five consecutive years followed by General Santos City which slightly increase its prevalence rate from 2013-2014. While Tacurong City decreased both in its ranked and prevalence rate but still belong to the top three with high prevalence rate from 2013-2014. Cotabato City's prevalence rate was not included due to very low OPT coverage

Region XII

Comparative Ranking of Provinces/ Cities According to Prevalence of Underweight (UW) + Severely Underweight (SUW) Children, 0-71 mos PSC, Region XII (CY 2010-2014)

Province/City	2010		2011		2012		2013		2014	
	Prevalence Rate	Rank	Prevalence Rate	Rank	Prevalence Rate	Rank	Prevalence Rate	Rank	Prevalence Rate	Rank
Sarangani	9.18	5	8.9	4	8.01	4.5	8.48	2	10.30	2
South Cotabato	9.66	3	8.82	5	8.39	3	7.63	5	7.26	5
Sultan Kudarat	15.82	1	12.5	1	10.68	1	12.56	1	10.63	1
North Cotabato	10.21	2	8.32	6	8.01	4.5	6.22	8	5.57	7
Koronadal City	5.64	8	4.73	9	4.16	9	5.97	9	5.50	8
Tacurong City	9.36	4	7.23	8	6.81	8	8.28	4	6.82	6

Kidapawan City	8.81	7	7.66	7	7.79	6	7.46	6	8.02	3
General Santos City	8.99	6	10.27	3	7.68	7	7.42	7	7.70	4
Cotabato City	no report		10.52	2	9.18	2	8.40	3	Very low opt coverage	
Region	10.54		9.31		8.29		8.00		7.76	

The prevalence rate in the region slightly decrease by 0.24% from 8.00% to 7.76% in 2014. Among the provinces, Sultan Kudarat's prevalence rate showed significant decreased from 2013 to 2014 by 1.93%. While the prevalence of underweight in Sarangani increased from 2013-2014. Cotabato City's prevalence rate was not included due to very low OPT coverage.