



## REGION: X NORTHERN MINDANAO

### OPERATION TIMBANG PLUS 2023

#### NUTRITIONAL STATUS OF CHILDREN 0-59 and 0-23 MONTHS OLD

SUMMARY TABLES FOR PRESENTATIONS

[PRINTING INSTRUCTIONS](#)

#### WEIGHT FOR AGE

	0-23 Months (F1K)				0-59 Months			
	Boys	Girls	Total	Prev	Boys	Girls	Total	Prev
Normal	84,665	80,969	165,634	97.12%	242,990	230,592	473,582	97.34%
Overweight	960	960	1,920	1.13%	1,534	1,351	2,885	0.59%
Underweight	1,351	994	2,345	1.37%	4,370	3,903	8,273	1.70%
Severely Underweight	358	295	653	0.38%	912	862	1,774	0.36%

#### HEIGHT FOR AGE

	0-23 Months (F1K)				0-59 Months			
	Boys	Girls	Total	Prev	Boys	Girls	Total	Prev
Normal	80,305	76,969	157,274	92.21%	233,854	222,493	456,347	93.80%
Tall	3,559	3,786	7,345	4.31%	4,669	4,835	9,504	1.95%
Stunted	2,608	1,857	4,465	2.62%	8,910	7,423	16,333	3.36%
Severely Stunted	862	606	1,468	0.86%	2,372	1,958	4,330	0.89%

#### WEIGHT FOR LENGTH/HEIGHT

	0-23 Months (F1K)				0-59 Months			
	Boys	Girls	Total	Prev	Boys	Girls	Total	Prev
Normal	84,789	81,146	165,935	97.29%	244,303	232,234	476,537	97.95%
Overweight	863	754	1,617	0.95%	1,737	1,487	3,224	0.66%
Obese	428	373	801	0.47%	1,002	795	1,797	0.37%
Moderately Wasted	859	650	1,509	0.88%	2,011	1,619	3,630	0.75%
Severely Wasted	395	295	690	0.40%	753	573	1,326	0.27%

TOTAL NUMBER OF MOTHERS/CAREGIVERS OF CHILDREN (0-59 MOS OLD) AFFECTED BY UNDERNUTRITION	24,463
TOTAL NUMBER OF MOTHERS/CAREGIVERS OF CHILDREN (0-23 MOS OLD) AFFECTED BY UNDERNUTRITION	8,051



## REGION: X NORTHERN MINDANAO

OPERATION TIMBANG PLUS 2023

### UNDERWEIGHT AND SEVERE UNDERWEIGHT

PREVALENCE AND NUMBER OF AFFECTED CHILDREN UNDER FIVE, BY PROVINCE/CITY/NCR LGU

[PRINTING](#)  
[INSTRUCTIONS](#)

\*Provinces/Cities/NCR LGUs are ranked from highest to lowest prevalence (%) of UW + Severe UW.

# of pages: 1

Rank*	Province/ Independent City/ NCR LGU	0-59 Months OPT Plus Coverage (%)	WEIGHT FOR AGE		
			Normal (%)	Underweight + Severely Underweight (%)	Number of Underweight + Severely Underweight
1	CAMIGUIN	68.70%	92.95%	5.10%	317
2	MISAMIS OCCIDENTAL	73.22%	95.05%	3.77%	1709
3	BUKIDNON	88.13%	97.27%	2.18%	3406
4	LANAO DEL NORTE	91.30%	97.49%	1.92%	2323
5	MISAMIS ORIENTAL	85.68%	98.13%	1.45%	2292



## REGION: X NORTHERN MINDANAO

### OPERATION TIMBANG PLUS 2023 STUNTING AND SEVERE STUNTING

PREVALENCE AND NUMBER OF AFFECTED CHILDREN UNDER FIVE, BY PROVINCE/CITY/NCR LGU

[PRINTING](#)  
[INSTRUCTIONS](#)

\*Provinces/Cities/NCR LGUs are ranked from highest to lowest prevalence (%) of St + SevStunting.

# of pages: 1

Rank*	Province/ Independent City/ NCR LGU	0-59 Months OPT Plus Coverage (%)	HEIGHT FOR AGE		
			Normal (%)	Stunted + Severely Stunted (%)	Number of Stunted + Severely Stunted
1	CAMIGUIN	68.70%	85.75%	11.07%	688
2	MISAMIS OCCIDENTAL	73.22%	90.51%	7.13%	3228
3	BUKIDNON	88.13%	93.45%	4.81%	7525
4	LANAO DEL NORTE	91.30%	92.62%	4.56%	5510
5	MISAMIS ORIENTAL	85.68%	96.31%	2.35%	3712



## REGION: X NORTHERN MINDANAO

OPERATION TIMBANG PLUS 2023

### MODERATE AND SEVERE WASTING

PREVALENCE AND NUMBER OF AFFECTED CHILDREN UNDER FIVE, BY PROVINCE/CITY/NCR LGU

[PRINTING](#)  
[INSTRUCTIONS](#)

\*Provinces/Cities/NCR LGUs are ranked from highest to lowest prevalence (%) of MW+ SW.

# of pages: 1

Rank*	Province/ Independent City/ NCR LGU	0-59 Months OPT Plus Coverage (%)	WEIGHT FOR LENGTH/HEIGHT		
			Normal (%)	Moderately Wasted + Severely Wasted (%)	Number of Moderately Wasted + Severely Wasted
1	CAMIGUIN	68.70%	93.26%	2.77%	172
2	MISAMIS OCCIDENTAL	73.22%	95.34%	2.37%	1072
3	LANAO DEL NORTE	91.30%	97.85%	1.22%	1473
4	BUKIDNON	88.13%	97.94%	1.00%	1566
5	MISAMIS ORIENTAL	85.68%	98.97%	0.43%	673



## REGION: X NORTHERN MINDANAO

OPERATION TIMBANG PLUS 2023

### OVERWEIGHT AND OBESITY

PREVALENCE AND NUMBER OF AFFECTED CHILDREN UNDER FIVE, BY PROVINCE/CITY/NCR LGU

[PRINTING](#)  
[INSTRUCTIONS](#)

\*Provinces/Cities/NCR LGUs are ranked from highest to lowest prevalence (%) of OW + Ob.

# of pages: 1

Rank*	Province/ Independent City/ NCR LGU	0-59 Months OPT Plus Coverage (%)	WEIGHT FOR LENGTH/HEIGHT		
			Normal (%)	Overweight + Obese (%)	Number of Overweight + Obese
1	CAMIGUIN	68.70%	93.26%	3.97%	<b>247</b>
2	MISAMIS OCCIDENTAL	73.22%	95.34%	2.29%	<b>1037</b>
3	BUKIDNON	88.13%	97.94%	1.06%	<b>1661</b>
4	LANAO DEL NORTE	91.30%	97.85%	0.93%	<b>1119</b>
5	MISAMIS ORIENTAL	85.68%	98.97%	0.61%	<b>957</b>