

2017

OPT Plus Results



National Capital Region

Operation Timbang (OPT) Plus

- annual mass weighing of all preschoolers 0-71 months old or below six (6) years old
- Weighing is done every 1st quarter



Weight and height of children were measured using salter scale, infant weighing scale, detecto weighing scale and heightboard.

- Data generated is used for:
 - local nutrition program planning, particularly in describing the nutritional status of the community
 - quantifying the number of malnourished
 - identifying which barangays have more malnourished children
 - for identifying who will be given priority in the provision of nutrition interventions

Regional Coverage of Operation Timbang Plus, NCR, 2017

- 1,691 barangays out of 1,706 barangays were covered
- All LGUs have 100% coverage of barangays except:
 - Caloocan (186/188 barangays; 98.94%)
 - Quezon City (137/146 barangays; 96.48%)
 - Makati (25/33 barangays; 75.76%)

Ranking of LGUs accdg. to % Weighing Coverage, NCR, 2017

Rank	Cities/ Municipality	Estimated no. of preschoolers aged 0-59 mos.	Actual no. of Preschoolers weighed	% Coverage
1	Taguig	109,016	114,261	104.81
2	Quezon City	397,660	389,024	97.83
3	Navotas	33,787	31,082	91.99
4	Parañaque	90,177	79,390	88.04
5	Las Piñas	79,758	69,753	87.46
6	Valenzuela	84,028	72,205	85.93
7	Mandaluyong	52,316	44,554	85.16
8	San Juan	16,548	13,538	81.81
9	Pasay	56,413	44,843	79.49
10	Malabon	49,506	39,312	79.41

Ranking of LGUs accdg. to % Weighing Coverage, NCR, 2017


Rank	Cities/ Municipality	Estimated no. of preschoolers aged 0-59 mos.	Actual no. of Preschoolers weighed	% Coverage
11	Caloocan	214,530	167,774	78.21
12	Muntinlupa	68,329	51,102	74.79
13	Pasig	102,296	72,548	70.92
14	Pateros	8,646	5,864	67.82
15	Manila	241,099	149,657	62.07
16	Marikina	61,047	35,594	58.31
17	Makati	78,906	45,871	58.13
Regional Coverage		1,744,062	1,426,372	81.78

Note: Estimated population based on DOH-NCRO data

Nutritional Status of Children (0-59 months)


Weight-for-Age

2017 Nutritional Status of 0 – 59 months old children, NCR accdg to Weight-for-Age




N = 1,426,372

Percentage of Children 0-59 months old with Normal Nutritional Status according to Weight-for-Age, 2015-2017



Prevalence of Underweight and Severely Underweight among children 0-59 months old in NCR, 2015-2017




Ranking of Cities/Municipality based on Prevalence of Underweight and Severely Underweight-for-age among children 0-59 months old, NCR, 2015-2017

2015			2016			2017		
Rank	Cities/ Municipality	% Prev. Rate	Rank	Cities/ Municipality	% Prev. Rate	Rank	Cities/ Municipality	% Prev. Rate
1	Caloocan	4.89	1	Malabon	3.30	1	Malabon	3.17
2	Malabon	4.39	2	Manila	3.28	2	Las Piñas	2.79
3	Las Piñas	3.27	3	Las Piñas	2.98	3	Manila	2.51
4	Pasay	3.22	4	Pasay	2.60	4	Caloocan	2.32
4	Manila	3.22	5	Caloocan	2.56	5	Pasay	2.28
5	Muntinlupa	3.01	6	Navotas	2.06	6	Parañaque	1.87
6	Parañaque	2.22	7	Parañaque	1.85	7	Pateros	1.65
7	Navotas	2.20	8	Muntinlupa	1.69	8	Navotas	1.50
8	San Juan	2.19	9	Pateros	1.46	9	Valenzuela	1.35
9	Pasig	1.80	9	Valenzuela	1.46	10	Muntinlupa	1.34
10	Valenzuela	1.63	10	Pasig	1.44	11	Pasig	1.27
11	Pateros	1.58	11	Marikina	1.09	12	Marikina	1.07
12	Quezon City	1.27	12	Quezon City	0.84	13	Quezon City	0.71
13	Marikina	1.25	12	San Juan	0.84	14	San Juan	0.64
14	Mandaluyong	0.92	13	Mandaluyong	0.79	15	Mandaluyong	0.63
15	Makati	0.60	14	Makati	0.52	16	Makati	0.53
15	Taguig	0.60	15	Taguig	0.44	17	Taguig	0.38

Ranking of Cities/Municipality based on the Total Number of Underweight Children 0-59 months old in NCR, 2015-2017

2015			2016			2017		
Rank	Cities/ Municipality	Total # of Children	Rank	Cities/ Municipality	Total # of Children	Rank	Cities/ Municipality	Total # of Children
1	Caloocan	8,405	1	Manila	5,518	1	Caloocan	3,894
2	Quezon City	5,048	2	Caloocan	4,451	2	Manila	3,749
3	Manila	4,880	3	Quezon City	3,495	3	Quezon City	2,777
4	Las Piñas	2,237	4	Las Piñas	2,096	4	Las Piñas	1,945
5	Parañaque	1,713	5	Parañaque	1,512	5	Parañaque	1,487
6	Malabon	1,604	6	Malabon	1,308	6	Malabon	1,245
7	Pasay	1,457	7	Pasay	1,183	7	Pasay	1,023
8	Muntinlupa	1,423	8	Pasig	1,117	8	Valenzuela	974
9	Pasig	1,323	9	Valenzuela	1,114	9	Pasig	921
10	Valenzuela	1,219	10	Muntinlupa	887	10	Muntinlupa	683
11	Navotas	709	11	Navotas	653	11	Navotas	465
12	Taguig	582	12	Taguig	496	12	Taguig	439
13	Mandaluyong	431	13	Marikina	397	13	Marikina	382
14	Marikina	419	14	Mandaluyong	339	14	Mandaluyong	281
15	Makati	270	15	Makati	239	15	Makati	241
16	San Juan	257	16	San Juan	112	16	Pateros	97
17	Pateros	106	17	Pateros	91	17	San Juan	87
Total	32,083		Total	25,008		Total	20,690	

Comparison of LGUs accdg. to Prevalence of Underweight and Severe Underweight-for-age among children 0-59 months old, 2015-2017



Malabon
 Navotas
 Valenzuela
 Quezon City
 Marikina

Taguig
 San Juan
 Pasay
 Mandaluyong

Muntinlupa
 Pasig
 Caloocan
 Las Piñas

↓

Manila

→ →


Makati
Parañaque

→ →

Pateros


↑

2017 Prevalence of Underweight and Severely Underweight-for-age Children 0-59 months old in NCR, per age group



- Increasing trend of underweight from 0-5 mos. until 36-47 mos. then decreasing trend from 48-59 mos.

Prevalence of Overweight-for-age among children 0-59 months old in NCR, 2015-2017



Ranking of LGUs based on Prevalence of Overweight-for-age among children 0-59 months old, NCR, 2015-2017


2015			2016			2017		
Rank	Cities/ Municipality	% Prev. Rate	Rank	Cities/ Municipality	% Prev. Rate	Rank	Cities/ Municipality	% Prev. Rate
1	Marikina	4.27	1	Pateros	2.44	1	Makati	2.76
2	Makati	3.21	2	Makati	1.98	2	Pateros	2.15
3	Pasay	1.99	3	Malabon	1.44	3	Marikina	2.32
4	Pasig	1.95	4	Pasig	1.34	4	Pasay	1.64
5	Malabon	1.88	5	Pasay	1.33	5	Malabon	0.89
6	Caloocan	1.81	6	Caloocan	1.25	6	Pasig	0.78
7	Pateros	1.72	7	Muntinlupa	1.18	6	San Juan	0.78
8	San Juan	1.51	8	Marikina	1.14	7	Caloocan	0.76
9	Muntinlupa	1.47	9	Manila	1.01	7	Manila	0.76
10	Manila	1.34	10	Valenzuela	0.97	8	Valenzuela	0.72
11	Valenzuela	1.09	11	San Juan	0.82	9	Muntinlupa	0.64
12	Navotas	0.76	12	Taguig	0.75	10	Navotas	0.53
13	Quezon City	0.72	13	Navotas	0.69	11	Parañaque	0.47
14	Taguig	0.61	14	Parañaque	0.42	12	Quezon City	0.39
15	Parañaque	0.55	15	Quezon City	0.34	13	Taguig	0.37
16	Las Piñas	0.47	16	Las Piñas	0.32	14	Las Piñas	0.25
17	Mandaluyong	0.39	17	Mandaluyong	0.25	14	Mandaluyong	0.25

Ranking of Cities/Municipality based on the Total Number of Overweight-for-age Children 0-59 months old in NCR, 2015-2017								
2015			2016			2017		
Rank	Cities/ Municipality	Total # of Children	Rank	Cities/ Municipality	Total # of Children	Rank	Cities/ Municipality	Total # of Children
1	Caloocan	3,115	1	Caloocan	2,180	1	Quezon City	1,503
2	Quezon City	2,858	2	Manila	1,691	2	Caloocan	1,274
3	Manila	2,035	3	Quezon City	1,419	3	Makati	1,268
4	Makati	1,447	4	Pasig	1,037	4	Manila	1,144
5	Pasig	1,434	5	Makati	908	5	Marikina	827
6	Marikina	1,430	6	Taguig	839	6	Pasay	736
7	Pasay	902	7	Valenzuela	742	7	Pasig	563
8	Valenzuela	817	8	Muntinlupa	621	8	Valenzuela	520
9	Muntinlupa	695	9	Pasay	603	9	Taguig	427
10	Malabon	688	10	Malabon	572	10	Parañaque	370
11	Taguig	592	11	Marikina	415	11	Malabon	348
12	Parañaque	427	12	Parañaque	340	12	Muntinlupa	325
13	Las Piñas	324	13	Las Piñas	225	13	Las Piñas	175
14	Navotas	426	14	Navotas	219	14	Navotas	165
15	Mandaluyong	180	15	Pateros	152	15	Pateros	126
16	San Juan	177	16	Mandaluyong	109	16	Mandaluyong	112
17	Pateros	115	16	San Juan	109	17	San Juan	105
Total	17,482		Total	12,181		Total	9,988	


Nutritional Status of Children (0-59 months)

Length-for-Age

2017 Nutritional Status of 0 – 59 months old children, NCR



Prevalence of Stunting among Children 0-59 months old, NCR, 2015-2017




Ranking of Cities/Municipality based on Prevalence of Stunting and Severe Stunting among children 0-59 months old, NCR, 2015-2017

2015			2016			2017		
Rank	Cities/ Municipality	% Prev. Rate	Rank	Cities/ Municipality	% Prev. Rate	Rank	Cities/ Municipality	% Prev. Rate
1	Las Piñas	14.31	1	Valenzuela	10.61	1	Malabon	7.95
2	Valenzuela	12.55	2	Malabon	8.60	2	Las Piñas	6.24
3	Muntinlupa	12.43	3	Muntinlupa	7.98	3	Marikina	5.08
4	Malabon	12.09	4	Marikina	7.96	4	Manila	4.68
5	Taguig	12.01	5	Las Piñas	7.74	5	Pasay	4.01
6	Marikina	11.75	6	Pateros	7.59	6	Pateros	3.84
7	Parañaque	11.40	7	Pasig	7.56	7	Pasig	3.41
8	Pasig	10.49	8	Manila	6.33	8	Muntinlupa	3.08
9	Caloocan	8.46	9	Parañaque	4.96	9	Parañaque	3.05
10	Manila	7.55	10	Pasay	4.41	10	Caloocan	3.00
11	Navotas	7.10	11	Navotas	4.30	11	Makati	2.89
12	Pasay	6.44	12	Caloocan	4.06	12	Valenzuela	2.78
13	Pateros	5.52	13	Makati	2.60	13	Navotas	2.42
14	San Juan	4.96	14	Taguig	2.55	14	Quezon City	1.33
15	Makati	3.98	15	Quezon City	2.08	15	Taguig	1.30
16	Quezon City	3.40	16	Mandaluyong	1.43	16	Mandaluyong	1.05
17	Mandaluyong	2.03	17	San Juan	1.33	17	San Juan	0.93

Ranking of Cities/Municipality based on the Total Number of Stunted and Severely Stunted children 0-59 months old in NCR, 2015-2017

2015			2016			2017		
Rank	Cities/ Municipality	Total # of Children	Rank	Cities/ Municipality	Total # of Children	Rank	Cities/ Municipality	Total # of Children
1	Caloocan	14,530	1	Manila	10,641	1	Manila	7,011
2	Quezon City	13,508	2	Quezon City	8,640	2	Quezon City	5,161
3	Taguig	11,752	3	Valenzuela	8,098	3	Caloocan	5,025
4	Manila	11,450	4	Caloocan	7,064	4	Las Piñas	4,349
5	Las Piñas	9,781	5	Pasig	5,867	5	Malabon	3,127
6	Valenzuela	9,409	6	Las Piñas	5,446	6	Pasig	2,472
7	Parañaque	8,790	7	Muntinlupa	4,196	7	Parañaque	2,421
8	Pasig	7,702	8	Parañaque	4,066	8	Valenzuela	2,007
9	Muntinlupa	5,871	9	Malabon	3,407	9	Pasay	1,800
10	Malabon	4,414	10	Marikina	2,898	10	Marikina	1,790
11	Marikina	3,934	11	Taguig	2,841	11	Muntinlupa	1,574
12	Pasay	2,912	12	Pasay	2,003	12	Taguig	1,483
13	Navotas	2,292	13	Navotas	1,364	13	Makati	1,287
14	Makati	1,797	14	Makati	1,190	14	Navotas	751
15	Mandaluyong	948	15	Mandaluyong	615	15	Mandaluyong	466
16	San Juan	583	16	Pateros	473	16	Pateros	225
17	Pateros	370	17	San Juan	176	17	San Juan	126
Total	110,043		Total	68,985		Total	41,075	

Prevalence of Stunting and Severe Stunting among Children 0-59 months old in NCR, per age group, 2017




- Highest prevalence of stunting is among 12-23 mos. old
- Increasing trend of stunting from 0-5 mos. until 12-23 mos.


Nutritional Status of Children (0-59 months)

Weight-for-Height

2017 Nutritional Status of 0 – 59 months old children, NCR



Prevalence of Wasted among Children 0-59 months old, NCR, 2015-2017




Ranking of Cities/Municipality based on Prevalence of Wasting and Severe Wasting among children 0-59 months old, NCR, 2015-2017

2015			2016			2017		
Rank	Cities/ Municipality	% Prev. Rate	Rank	Cities/ Municipality	% Prev. Rate	Rank	Cities/ Municipality	% Prev. Rate
1	Marikina	7.89	1	Valenzuela	6.38	1	Manila	3.24
2	Valenzuela	4.69	2	Marikina	5.55	2	Marikina	2.80
3	Malabon	4.61	3	Pateros	4.61	3	Pasay	2.44
4	Taguig	4.49	4	Malabon	3.70	4	Pateros	2.22
5	Muntinlupa	4.29	5	Manila	3.46	5	Caloocan	2.09
6	Caloocan	4.04	6	Pasig	2.75	6	Malabon	1.92
7	Pateros	3.85	7	Caloocan	2.62	7	Las Piñas	1.72
8	Las Piñas	3.56	8	Las Piñas	2.54	8	Navotas	1.42
9	Pasig	3.52	9	Pasay	2.50	9	Valenzuela	1.37
10	Manila	3.27	10	Taguig	2.03	10	Pasig	1.20
11	Pasay	3.12	11	Navotas	1.91	11	Parañaque	0.97
12	Parañaque	3.04	12	Muntinlupa	1.78	12	San Juan	0.92
13	Navotas	3.03	13	Parañaque	1.48	13	Makati	0.79
14	San Juan	2.87	14	Makati	1.28	14	Muntinlupa	0.73
15	Quezon City	1.55	15	San Juan	1.01	15	Taguig	0.70
16	Makati	1.52	16	Quezon City	0.97	15	Mandaluyong	0.70
17	Mandaluyong	1.16	17	Mandaluyong	0.64	16	Quezon City	0.67


Ranking of Cities/Municipality based on the Total Number of Wasted and Severely Wasted among children 0-59 months old in NCR, 2015-2017								
2015			2016			2017		
Rank	Cities/ Municipality	Total # of Children	Rank	Cities/ Municipality	Total # of Children	Rank	Cities/ Municipality	Total # of Children
1	Caloocan	6,949	1	Manila	5,813	1	Manila	4,846
2	Quezon City	6,142	2	Valenzuela	4,867	2	Caloocan	3,512
3	Manila	4,960	3	Caloocan	4,562	3	Quezon City	2,613
4	Taguig	4,395	4	Quezon City	4,044	4	Las Piñas	1,202
5	Valenzuela	3,517	5	Taguig	2,264	5	Pasay	1,093
6	Marikina	2,642	6	Pasig	2,131	6	Marikina	987
7	Pasig	2,584	7	Marikina	2,022	7	Valenzuela	986
8	Las Piñas	2,434	8	Las Piñas	1,788	8	Pasig	867
9	Parañaque	2,341	9	Malabon	1,467	9	Taguig	802
10	Muntinlupa	2,024	10	Parañaque	1,214	10	Parañaque	771
11	Malabon	1,682	11	Pasay	1,138	11	Malabon	753
12	Pasay	1,410	12	Muntinlupa	937	12	Navotas	441
13	Navotas	979	13	Navotas	606	13	Muntinlupa	372
14	Makati	675	14	Makati	589	14	Mandaluyong	311
15	Mandaluyong	543	15	Pateros	287	15	Makati	300
16	San Juan	337	16	Mandaluyong	275	16	Pateros	130
17	Pateros	258	17	San Juan	134	17	San Juan	124
Total	43,872		Total	34,138		Total	20,110	

Prevalence of Wasting and Severe Wasting among Children 0-59 months old in NCR, per age group, 2017



Highest prevalence of wasting and severe wasting is found in children 6-11 months.

Prevalence of Overweight-for-length/height among Children 0-59 months old, NCR, 2015-2017




Ranking of Cities/Municipality based on Prevalence of Overweight-for-length/height among children 0-59 months old, NCR, 2015-2017

2015			2016			2017		
Rank	Cities/ Municipality	% Prev. Rate	Rank	Cities/ Municipality	% Prev. Rate	Rank	Cities/ Municipality	% Prev. Rate
1	Marikina	5.67	1	Marikina	3.66	1	Pateros	2.69
2	Taguig	5.03	2	Pateros	2.97	2	Marikina	2.00
3	Valenzuela	3.52	3	Pasay	2.76	3	Pasay	1.81
4	Pasig	2.93	4	San Juan	2.69	4	Makati	1.70
5	Makati	2.90	5	Valenzuela	2.62	5	Malabon	1.18
6	Pateros	2.75	6	Pasig	2.48	5	Valenzuela	1.18
7	Malabon	2.63	7	Taguig	2.27	6	Caloocan	1.09
8	Muntinlupa	2.57	8	Malabon	1.78	7	Manila	1.07
9	Caloocan	2.29	9	Makati	1.71	8	Pasig	0.96
10	Las Piñas	1.87	9	Muntinlupa	1.71	9	Navotas	0.77
11	San Juan	1.82	10	Navotas	1.33	10	San Juan	0.62
12	Pasay	1.74	11	Caloocan	1.31	11	Parañaque	0.58
13	Manila	1.67	12	Manila	1.23	12	Las Piñas	0.56
14	Parañaque	1.54	13	Parañaque	1.10	13	Muntinlupa	0.54
15	Navotas	1.15	14	Las Piñas	0.92	14	Taguig	0.47
16	Quezon City	0.99	15	Quezon City	0.47	15	Quezon City	0.45
17	Mandaluyong	0.65	16	Mandaluyong	0.37	16	Mandaluyong	0.31

Ranking of Cities/Municipality based on the Total Number of Overweight-for-length/height Children 0-59 months old in NCR, 2015-2017

2015			2016			2017		
Rank	Cities/ Municipality	Total # of Children	Rank	Cities/ Municipality	Total # of Children	Rank	Cities/ Municipality	Total # of Children
1	Taguig	4,920	1	Taguig	2,532	1	Caloocan	1,831
2	Quezon City	3,938	2	Caloocan	2,279	2	Quezon City	1,749
3	Caloocan	3,936	3	Manila	2,077	3	Manila	1,607
4	Valenzuela	2,637	4	Valenzuela	2,000	4	Valenzuela	850
5	Manila	2,538	5	Quezon City	1,974	5	Pasay	812
6	Pasig	2,154	6	Pasig	1,922	6	Marikina	704
7	Marikina	1,898	7	Marikina	1,332	7	Pasig	700
8	Makati	1,290	8	Pasay	1,252	8	Makati	646
9	Las Piñas	1,276	9	Parañaque	905	9	Taguig	536
10	Muntinlupa	1,215	10	Muntinlupa	899	10	Malabon	464
11	Parañaque	1,191	11	Makati	784	11	Parañaque	457
12	Malabon	962	12	Malabon	704	12	Las Piñas	390
13	Pasay	789	13	Las Piñas	646	13	Muntinlupa	277
14	Navotas	372	14	Navotas	422	14	Navotas	239
15	Mandaluyong	301	15	San Juan	357	15	Pateros	158
16	San Juan	214	16	Pateros	185	16	Mandaluyong	138
17	Pateros	184	17	Mandaluyong	157	17	San Juan	84
Total	29,815		Total	20,427		Total	11,642	

Prevalence of Obese Children 0-59 months old, NCR, 2015-2017




Ranking of Cities/Municipality based on Prevalence of Obesity among children 0-59 months old, NCR, 2015-2017

2015			2016			2017		
Rank	Cities/ Municipality	% Prev. Rate	Rank	Cities/ Municipality	% Prev. Rate	Rank	Cities/ Municipality	% Prev. Rate
1	Marikina	4.78	1	Marikina	2.34	1	Pateros	1.98
2	Valenzuela	2.22	2	Pateros	2.15	2	Marikina	1.58
3	Taguig	2.21	3	Valenzuela	1.74	3	Pasay	1.10
4	Pasig	1.91	4	San Juan	1.46	4	Makati	0.96
5	Makati	1.83	5	Pasig	1.28	5	Manila	0.80
6	Pateros	1.82	6	Makati	1.15	6	Valenzuela	0.78
7	Muntinlupa	1.66	7	Malabon	1.09	7	Malabon	0.74
8	Malabon	1.49	8	Muntinlupa	1.08	8	Pasig	0.65
9	Caloocan	1.41	9	Manila	0.96	9	Caloocan	0.59
10	San Juan	1.36	10	Caloocan	0.86	10	Navotas	0.50
11	Manila	1.35	11	Pasay	0.81	11	San Juan	0.49
12	Pasay	1.07	12	Taguig	0.77	12	Muntinlupa	0.48
13	Las Piñas	1.01	13	Navotas	0.69	13	Parañaque	0.38
14	Parañaque	0.80	13	Las Piñas	0.69	14	Taguig	0.29
15	Navotas	0.60	14	Parañaque	0.50	15	Quezon City	0.26
16	Quezon City	0.55	15	Quezon City	0.27	15	Las Piñas	0.26
17	Mandaluyong	0.35	16	Mandaluyong	0.22	16	Mandaluyong	0.23

Ranking of Cities/Municipality based on the Total Number of Obese among children 0-59 months old in NCR, 2015-2017


2015			2016			2017		
Rank	Cities/ Municipality	Total # of Children	Rank	Cities/ Municipality	Total # of Children	Rank	Cities/ Municipality	Total # of Children
1	Caloocan	2,431	1	Manila	1,615	1	Manila	1,196
2	Quezon City	2,171	2	Caloocan	1,499	2	Caloocan	996
3	Taguig	2,166	3	Valenzuela	1,328	3	Quezon City	993
4	Manila	2,046	4	Quezon City	1,121	4	Valenzuela	566
5	Valenzuela	1,664	5	Pasig	996	5	Marikina	556
6	Marikina	1,600	6	Taguig	861	6	Pasay	492
7	Pasig	1,401	7	Marikina	851	7	Pasig	469
8	Makati	814	8	Muntinlupa	569	8	Makati	366
9	Muntinlupa	783	9	Makati	528	9	Taguig	332
10	Las Piñas	693	10	Las Piñas	486	10	Parañaque	304
11	Parañaque	620	11	Malabon	431	11	Malabon	290
12	Malabon	545	12	Parañaque	409	12	Muntinlupa	246
13	Pasay	486	13	Pasay	369	13	Las Piñas	180
14	Navotas	193	14	Navotas	219	14	Navotas	157
15	Mandaluyong	163	15	San Juan	194	15	Pateros	116
16	San Juan	160	16	Pateros	134	16	Mandaluyong	103
17	Pateros	122	17	Mandaluyong	94	17	San Juan	66
Total	18,058		Total	11,704		Total	7,428	

Prevalence of Overweight-for-Length/Height and Obesity among Children 0-59 months old in NCR, per age group, 2017




Highest prevalence of overweight and obesity is found in children 0-5 months.

Prevalence of malnourished among Children 0-59 months old in NCR, 2015-2017




Prevalence of undernutrition among Children 0-59 months old in NCR by LGU, 2017




Prevalence of overweight-for-height and obesity among Children 0-59 months old in NCR by LGU, 2017

Overweight-for-height



Obese



In summary

Decrease in prevalence from 2016 to 2017:



underweight	1.68	➡	1.45
stunting	4.63	➡	2.88
wasting	2.29	➡	1.42
overweight-for-height	1.37	➡	0.82
obese-for-height	0.79	➡	0.52

In summary (cont.)

Highest prevalence of:

- Underweight – **Malabon**
- Stunting - **Malabon**
- Wasting – **Manila**
- Overweight-for-height and Obesity – **Pateros**

THANK YOU! 😊