

2018

OPT Plus Results



National Capital Region

Operation Timbang (OPT) Plus

- annual mass weighing of all preschoolers 0-59 months old or below five (5) years old
- Weighing is done every 1st quarter



Weight and height of children were measured using salter scale, infant weighing scale, detecto weighing scale and heightboard.

- Data generated is used for:
 - local nutrition program planning, particularly in describing the nutritional status of the community
 - quantifying the number of malnourished
 - identifying which barangays have more malnourished children
 - for identifying who will be given priority in the provision of nutrition interventions

Regional Coverage of Operation Timbang Plus, NCR, 2018

- 1,691 barangays out of 1,706 barangays were covered
- All LGUs have 100% coverage of barangays except:
 - Caloocan (186/188 barangays; 98.94%)
 - Quezon City (137/146 barangays; 96.48%)
 - Makati (25/33 barangays; 75.76%)
 - *With eight (8) disputed and elite barangays*

Ranking of LGUs accdg. to % Weighing Coverage, NCR, 2018

Rank	Cities/ Municipality	Estimated no. of preschoolers aged 0-59 mos.	Actual no. of Preschoolers weighed	% Coverage
1	Taguig	110,078	110,266	100.17
2	Quezon City	401,535	397,275	98.94
3	Navotas	34,116	31,749	93.06
4	Muntinlupa	68,995	61,818	89.60
5	Valenzuela	84,847	73,616	86.76
6	San Juan	16,709	14,440	86.42
7	Mandaluyong	52,826	45,164	85.50
8	Parañaque	91,056	75,332	82.73
9	Malabon	49,988	41,328	82.68

Ranking of LGUs accdg. to % Weighing Coverage, NCR, 2018


Rank	Cities/ Municipality	Estimated no. of preschoolers aged 0-59 mos.	Actual no. of Preschoolers weighed	% Coverage
10	Caloocan	216,620	173,069	79.89
11	Pasay	56,962	44,658	78.40
12	Pasig	103,293	76,148	73.72
13	Manila	243,448	163,355	67.10
14	Pateros	8,731	5,832	66.80
15	Las Piñas	80,535	45,263	56.20
16	Makati	79,675	44,635	56.02
17	Marikina	61,642	29,656	48.11
Regional Coverage		1,761,056	1,433,604	81.41

Note: Estimated population based on DOH-NCRO data

Nutritional Status of Children (0-59 months)


Weight-for-Age

2018 Nutritional Status of 0 – 59 months old children, NCR accdg to Weight-for-Age




N = 1,433,604

Percentage of Children 0-59 months old with Normal Nutritional Status according to Weight-for-Age, 2015-2018



Prevalence of Underweight and Severely Underweight among children 0-59 months old in NCR, 2015-2018




Ranking of Cities/Municipality based on Prevalence of Underweight and Severely Underweight-for-age among children 0-59 months old, NCR, 2016-2018

2016			2017			2018		
Rank	Cities/ Municipality	% Prev. Rate	Rank	Cities/ Municipality	% Prev. Rate	Rank	Cities/ Municipality	% Prev. Rate
1	Malabon	3.30	1	Malabon	3.17	1	Manila	2.95
2	Manila	3.28	2	Las Piñas	2.79	2	Malabon	2.86
3	Las Piñas	2.98	3	Manila	2.51	3	Las Piñas	2.76
4	Pasay	2.60	4	Caloocan	2.32	4	Pateros	1.97
4	Caloocan	2.56	5	Pasay	2.28	5	Parañaque	1.58
5	Navotas	2.06	6	Parañaque	1.87	6	Caloocan	1.53
6	Parañaque	1.85	7	Pateros	1.65	7	Pasay	1.38
7	Muntinlupa	1.69	8	Navotas	1.50	8	Navotas	1.37
8	Pateros	1.46	9	Valenzuela	1.35	9	Pasig	1.17
9	Valenzuela	1.46	10	Muntinlupa	1.34	10	Valenzuela	1.03
10	Pasig	1.44	11	Pasig	1.27	11	Muntinlupa	1.02
11	Marikina	1.09	12	Marikina	1.07	12	Marikina	1.01
12	Quezon City	0.84	13	Quezon City	0.71	13	Mandaluyong	0.60
13	San Juan	0.84	14	San Juan	0.64	14	Quezon City	0.58
14	Mandaluyong	0.79	15	Mandaluyong	0.63	15	San Juan	0.55
15	Makati	0.52	16	Makati	0.53	16	Makati	0.45
15	Taguig	0.44	17	Taguig	0.38	17	Taguig	0.33

Ranking of Cities/Municipality based on the Total Number of Underweight Children 0-59 months old in NCR, 2016-2018

2016			2017			2018		
Rank	Cities/ Municipality	Total # of Children	Rank	Cities/ Municipality	Total # of Children	Rank	Cities/ Municipality	Total # of Children
1	Manila	5,518	1	Caloocan	3,894	1	Manila	4,825
2	Caloocan	4,451	2	Manila	3,749	2	Caloocan	2,648
3	Quezon City	3,495	3	Quezon City	2,777	3	Quezon City	2,322
4	Las Piñas	2,096	4	Las Piñas	1,945	4	Las Piñas	1,250
5	Parañaque	1,512	5	Parañaque	1,487	5	Parañaque	1,188
6	Malabon	1,308	6	Malabon	1,245	6	Malabon	1,180
7	Pasay	1,183	7	Pasay	1,023	7	Pasig	892
8	Pasig	1,117	8	Valenzuela	974	8	Valenzuela	758
9	Valenzuela	1,114	9	Pasig	921	9	Muntinlupa	629
10	Muntinlupa	887	10	Muntinlupa	683	10	Pasay	616
11	Navotas	653	11	Navotas	465	11	Navotas	435
12	Taguig	496	12	Taguig	439	12	Marikina	300
13	Marikina	397	13	Marikina	382	13	Taguig	365
14	Mandaluyong	339	14	Mandaluyong	281	14	Mandaluyong	272
15	Makati	239	15	Makati	241	15	Makati	201
16	San Juan	112	16	Pateros	97	16	Pateros	115
17	Pateros	91	17	San Juan	87	17	San Juan	80
Total	25,008		Total	20,690		Total	18,076	

Comparison of LGUs accdg. to Prevalence of Underweight and Severe Underweight-for-age among children 0-59 months old, 2016-2018



Malabon
 Navotas
 Valenzuela
 Quezon City
 Marikina

Taguig
 San Juan
 Pasay
 Mandaluyong


Muntinlupa
 Pasig
 Caloocan
 Las Piñas

Makati
 Parañaque

Manila


Pateros

2018 Prevalence of Underweight and Severely Underweight-for-age Children 0-59 months old in NCR, per age group



- Increasing trend of underweight from 0-5 mos. until 24-35 mos. then decreasing trend from 36-47 mos.

Prevalence of Overweight-for-age among children 0-59 months old in NCR, 2015-2018



Ranking of LGUs based on Prevalence of Overweight-for-age among children 0-59 months old, NCR, 2016-2018


2016			2017			2018		
Rank	Cities/ Municipality	% Prev. Rate	Rank	Cities/ Municipality	% Prev. Rate	Rank	Cities/ Municipality	% Prev. Rate
1	Pateros	2.44	1	Makati	2.76	1	Pateros	1.94
2	Makati	1.98	2	Pateros	2.15	2	Marikina	1.86
3	Malabon	1.44	3	Marikina	2.32	3	Makati	1.71
4	Pasig	1.34	4	Pasay	1.64	4	Las Piñas	0.98
5	Pasay	1.33	5	Malabon	0.89	5	Pasay	0.83
6	Caloocan	1.25	6	Pasig	0.78	6	Valenzuela	0.76
7	Muntinlupa	1.18	6	San Juan	0.78	7	Malabon	0.73
8	Marikina	1.14	7	Caloocan	0.76	8	Manila	0.71
9	Manila	1.01	7	Manila	0.76	9	Muntinlupa	0.70
10	Valenzuela	0.97	8	Valenzuela	0.72	10	Pasig	0.61
11	San Juan	0.82	9	Muntinlupa	0.64	11	Caloocan	0.54
12	Taguig	0.75	10	Navotas	0.53	12	San Juan	0.53
13	Navotas	0.69	11	Parañaque	0.47	13	Navotas	0.46
14	Parañaque	0.42	12	Quezon City	0.39	14	Quezon City	0.42
15	Quezon City	0.34	13	Taguig	0.37	15	Parañaque	0.36
16	Las Piñas	0.32	14	Las Piñas	0.25	16	Mandaluyong	0.21
17	Mandaluyong	0.25	14	Mandaluyong	0.25	17	Taguig	0.13

Ranking of Cities/Municipality based on the Total Number of Overweight-for-age Children 0-59 months old in NCR, 2016-2018								
2016			2017			2018		
Rank	Cities/ Municipality	Total # of Children	Rank	Cities/ Municipality	Total # of Children	Rank	Cities/ Municipality	Total # of Children
1	Caloocan	2,180	1	Quezon City	1,503	1	Quezon City	1,685
2	Manila	1,691	2	Caloocan	1,274	2	Manila	1,167
3	Quezon City	1,419	3	Makati	1,268	3	Caloocan	932
4	Pasig	1,037	4	Manila	1,144	4	Makati	762
5	Makati	908	5	Marikina	827	5	Valenzuela	558
6	Taguig	839	6	Pasay	736	6	Marikina	551
7	Valenzuela	742	7	Pasig	563	7	Pasig	463
8	Muntinlupa	621	8	Valenzuela	520	8	Las Piñas	445
9	Pasay	603	9	Taguig	427	9	Muntinlupa	430
10	Malabon	572	10	Parañaque	370	10	Pasay	370
11	Marikina	415	11	Malabon	348	11	Malabon	302
12	Parañaque	340	12	Muntinlupa	325	12	Parañaque	271
13	Las Piñas	225	13	Las Piñas	175	13	Navotas	146
14	Navotas	219	14	Navotas	165	14	Taguig	138
15	Pateros	152	15	Pateros	126	15	Pateros	113
16	Mandaluyong	109	16	Mandaluyong	112	16	Mandaluyong	96
16	San Juan	109	17	San Juan	105	17	San Juan	76
Total	12,181		Total	9,988		Total	8,505	


Nutritional Status of Children (0-59 months)

Length/Height-for-Age

2018 Nutritional Status of 0 – 59 months old children, NCR



Prevalence of Stunting and Severe Stunting among Children 0-59 months old, NCR, 2015-2018




Ranking of Cities/Municipality based on Prevalence of Stunting and Severe Stunting among children 0-59 months old, NCR, 2016-2018

2016			2017			2018		
Rank	Cities/ Municipality	% Prev. Rate	Rank	Cities/ Municipality	% Prev. Rate	Rank	Cities/ Municipality	% Prev. Rate
1	Valenzuela	10.61	1	Malabon	7.95	1	Malabon	6.94
2	Malabon	8.60	2	Las Piñas	6.24	2	Manila	5.09
3	Muntinlupa	7.98	3	Marikina	5.08	3	Pateros	3.55
4	Marikina	7.96	4	Manila	4.68	4	Las Piñas	3.27
5	Las Piñas	7.74	5	Pasay	4.01	5	Pasay	2.51
6	Pateros	7.59	6	Pateros	3.84	6	Caloocan	2.30
7	Pasig	7.56	7	Pasig	3.41	7	Parañaque	2.10
8	Manila	6.33	8	Muntinlupa	3.08	8	Pasig	1.98
9	Parañaque	4.96	9	Parañaque	3.05	9	Valenzuela	1.89
10	Pasay	4.41	10	Caloocan	3.00	10	Muntinlupa	1.52
11	Navotas	4.30	11	Makati	2.89	11	Navotas	1.42
12	Caloocan	4.06	12	Valenzuela	2.78	12	Makati	1.27
13	Makati	2.60	13	Navotas	2.42	13	Marikina	1.19
14	Taguig	2.55	14	Quezon City	1.33	14	Mandaluyong	1.10
15	Quezon City	2.08	15	Taguig	1.30	15	Quezon City	0.88
16	Mandaluyong	1.43	16	Mandaluyong	1.05	16	San Juan	0.82
17	San Juan	1.33	17	San Juan	0.93	17	Taguig	0.55

Ranking of Cities/Municipality based on the Total Number of Stunted and Severely Stunted children 0-59 months old in NCR, 2016-2018

2016			2017			2018		
Rank	Cities/ Municipality	Total # of Children	Rank	Cities/ Municipality	Total # of Children	Rank	Cities/ Municipality	Total # of Children
1	Manila	10,641	1	Manila	7,011	1	Manila	8,321
2	Quezon City	8,640	2	Quezon City	5,161	2	Caloocan	3,975
3	Valenzuela	8,098	3	Caloocan	5,025	3	Quezon City	3,501
4	Caloocan	7,064	4	Las Piñas	4,349	4	Malabon	2,867
5	Pasig	5,867	5	Malabon	3,127	5	Parañaque	1,585
6	Las Piñas	5,446	6	Pasig	2,472	6	Pasig	1,506
7	Muntinlupa	4,196	7	Parañaque	2,421	7	Las Piñas	1,481
8	Parañaque	4,066	8	Valenzuela	2,007	8	Valenzuela	1,395
9	Malabon	3,407	9	Pasay	1,800	9	Pasay	1,119
10	Marikina	2,898	10	Marikina	1,790	10	Muntinlupa	942
11	Taguig	2,841	11	Muntinlupa	1,574	11	Taguig	607
12	Pasay	2,003	12	Taguig	1,483	12	Makati	566
13	Navotas	1,364	13	Makati	1,287	13	Mandaluyong	499
14	Makati	1,190	14	Navotas	751	14	Navotas	451
15	Mandaluyong	615	15	Mandaluyong	466	15	Marikina	348
16	Pateros	473	16	Pateros	225	16	Pateros	207
17	San Juan	176	17	San Juan	126	17	San Juan	118
Total	68,985		Total	41,075		Total	29,488	

Prevalence of Stunting and Severe Stunting among Children 0-59 months old in NCR, per age group, 2018




- Highest prevalence of stunting is among 12-23 mos. old
- Increasing trend of stunting from 0-5 mos. until 12-23 mos.


Nutritional Status of Children (0-59 months)

Weight-for-Length/Height

2018 Nutritional Status of 0 – 59 months old children, NCR



Prevalence of Wasting and Severe Wasting among Children 0-59 months old, NCR, 2015-2018




Ranking of Cities/Municipality based on Prevalence of Wasting and Severe Wasting among children 0-59 months old, NCR, 2016-2018

2016			2017			2018		
Rank	Cities/ Municipality	% Prev. Rate	Rank	Cities/ Municipality	% Prev. Rate	Rank	Cities/ Municipality	% Prev. Rate
1	Valenzuela	6.38	1	Manila	3.24	1	Manila	3.00
2	Marikina	5.55	2	Marikina	2.80	2	Pateros	1.77
3	Pateros	4.61	3	Pasay	2.44	3	Valenzuela	1.58
4	Malabon	3.70	4	Pateros	2.22	4	Las Piñas	1.41
5	Manila	3.46	5	Caloocan	2.09	5	Malabon	1.30
6	Pasig	2.75	6	Malabon	1.92	6	Pasay	1.16
7	Caloocan	2.62	7	Las Piñas	1.72	7	Parañaque	0.90
8	Las Piñas	2.54	8	Navotas	1.42	8	Navotas	0.82
9	Pasay	2.50	9	Valenzuela	1.37	9	Mandaluyong	0.63
10	Taguig	2.03	10	Pasig	1.20	10	Pasig	0.61
11	Navotas	1.91	11	Parañaque	0.97	11	Caloocan	0.56
12	Muntinlupa	1.78	12	San Juan	0.92	12	Marikina	0.52
13	Parañaque	1.48	13	Makati	0.79	13	Muntinlupa	0.49
14	Makati	1.28	14	Muntinlupa	0.73	14	Quezon City	0.43
15	San Juan	1.01	15	Taguig	0.70	15	Makati	0.40
16	Quezon City	0.97	15	Mandaluyong	0.70	16	San Juan	0.24
17	Mandaluyong	0.64	16	Quezon City	0.67	17	Taguig	0.22


Ranking of Cities/Municipality based on the Total Number of Wasted and Severely Wasted among children 0-59 months old in NCR, 2016-2018								
2016			2017			2018		
Rank	Cities/ Municipality	Total # of Children	Rank	Cities/ Municipality	Total # of Children	Rank	Cities/ Municipality	Total # of Children
1	Manila	5,813	1	Manila	4,846	1	Manila	4,906
2	Valenzuela	4,867	2	Caloocan	3,512	2	Quezon City	1,718
3	Caloocan	4,562	3	Quezon City	2,613	3	Valenzuela	1,162
4	Quezon City	4,044	4	Las Piñas	1,202	4	Caloocan	978
5	Taguig	2,264	5	Pasay	1,093	5	Parañaque	677
6	Pasig	2,131	6	Marikina	987	6	Las Piñas	639
7	Marikina	2,022	7	Valenzuela	986	7	Malabon	536
8	Las Piñas	1,788	8	Pasig	867	8	Pasay	520
9	Malabon	1,467	9	Taguig	802	9	Pasig	466
10	Parañaque	1,214	10	Parañaque	771	10	Muntinlupa	302
11	Pasay	1,138	11	Malabon	753	11	Mandaluyong	286
12	Muntinlupa	937	12	Navotas	441	12	Navotas	260
13	Navotas	606	13	Muntinlupa	372	13	Taguig	246
14	Makati	589	14	Mandaluyong	311	14	Makati	180
15	Pateros	287	15	Makati	300	15	Marikina	153
16	Mandaluyong	275	16	Pateros	130	16	Pateros	103
17	San Juan	134	17	San Juan	124	17	San Juan	34
Total	34,138		Total	20,110		Total	13,166	

Prevalence of Wasting and Severe Wasting among Children 0-59 months old in NCR, per age group, 2018



Highest prevalence of wasting and severe wasting is found in children 12-23 months.

Prevalence of Overweight-for-length/height among Children 0-59 months old, NCR, 2015-2018




Ranking of Cities/Municipality based on Prevalence of Overweight-for-length/height among children 0-59 months old, NCR, 2016-2018

2016			2017			2018		
Rank	Cities/ Municipality	% Prev. Rate	Rank	Cities/ Municipality	% Prev. Rate	Rank	Cities/ Municipality	% Prev. Rate
1	Marikina	3.66	1	Pateros	2.69	1	Pateros	2.21
2	Pateros	2.97	2	Marikina	2.00	2	Marikina	1.27
3	Pasay	2.76	3	Pasay	1.81	3	Makati	1.10
4	San Juan	2.69	4	Makati	1.70	4	Malabon	1.02
5	Valenzuela	2.62	5	Malabon	1.18	5	Manila	1.01
6	Pasig	2.48	5	Valenzuela	1.18	6	Pasay	0.96
7	Taguig	2.27	6	Caloocan	1.09	7	Valenzuela	0.93
8	Malabon	1.78	7	Manila	1.07	8	Las Piñas	0.87
9	Makati	1.71	8	Pasig	0.96	9	Pasig	0.56
9	Muntinlupa	1.71	9	Navotas	0.77	10	Muntinlupa	0.52
10	Navotas	1.33	10	San Juan	0.62	11	Caloocan	0.49
11	Caloocan	1.31	11	Parañaque	0.58	12	Parañaque	0.46
12	Manila	1.23	12	Las Piñas	0.56	13	Quezon City	0.39
13	Parañaque	1.10	13	Muntinlupa	0.54	13	Mandaluyong	0.39
14	Las Piñas	0.92	14	Taguig	0.47	14	Navotas	0.37
15	Quezon City	0.47	15	Quezon City	0.45	15	San Juan	0.28
17	Mandaluyong	0.65	16	Mandaluyong	0.31	16	Taguig	0.12

Ranking of Cities/Municipality based on the Total Number of Overweight-for-length/height Children 0-59 months old in NCR, 2016-2018

2016			2017			2018		
Rank	Cities/ Municipality	Total # of Children	Rank	Cities/ Municipality	Total # of Children	Rank	Cities/ Municipality	Total # of Children
1	Taguig	2,532	1	Caloocan	1,831	1	Manila	1,644
2	Caloocan	2,279	2	Quezon City	1,749	2	Quezon City	1,540
3	Manila	2,077	3	Manila	1,607	3	Caloocan	844
4	Valenzuela	2,000	4	Valenzuela	850	4	Valenzuela	686
5	Quezon City	1,974	5	Pasay	812	5	Makati	490
6	Pasig	1,922	6	Marikina	704	6	Pasay	430
7	Marikina	1,332	7	Pasig	700	7	Pasig	423
8	Pasay	1,252	8	Makati	646	8	Malabon	420
9	Parañaque	905	9	Taguig	536	9	Las Piñas	396
10	Muntinlupa	899	10	Malabon	464	10	Marikina	374
11	Makati	784	11	Parañaque	457	11	Parañaque	348
12	Malabon	704	12	Las Piñas	390	12	Muntinlupa	322
13	Las Piñas	646	13	Muntinlupa	277	13	Mandaluyong	178
14	Navotas	422	14	Navotas	239	14	Taguig	130
15	San Juan	357	15	Pateros	158	15	Pateros	129
16	Pateros	185	16	Mandaluyong	138	16	Navotas	119
17	Mandaluyong	157	17	San Juan	84	17	San Juan	40
Total	20,427		Total	11,642		Total	8,513	

Prevalence of Obese Children 0-59 months old, NCR, 2015-2018




Ranking of Cities/Municipality based on Prevalence of Obesity among children 0-59 months old, NCR, 2016-2018

2016			2017			2018		
Rank	Cities/ Municipality	% Prev. Rate	Rank	Cities/ Municipality	% Prev. Rate	Rank	Cities/ Municipality	% Prev. Rate
1	Marikina	2.34	1	Pateros	1.98	1	Pateros	1.80
2	Pateros	2.15	2	Marikina	1.58	2	Marikina	1.19
3	Valenzuela	1.74	3	Pasay	1.10	3	Manila	0.70
4	San Juan	1.46	4	Makati	0.96	4	Las Piñas	0.66
5	Pasig	1.28	5	Manila	0.80	5	Makati	0.62
6	Makati	1.15	6	Valenzuela	0.78	6	Valenzuela	0.59
7	Malabon	1.09	7	Malabon	0.74	7	Pasay	0.56
8	Muntinlupa	1.08	8	Pasig	0.65	8	Malabon	0.55
9	Manila	0.96	9	Caloocan	0.59	9	Pasig	0.43
10	Caloocan	0.86	10	Navotas	0.50	10	Navotas	0.37
11	Pasay	0.81	11	San Juan	0.49	10	Muntinlupa	0.37
12	Taguig	0.77	12	Muntinlupa	0.48	11	Caloocan	0.30
13	Navotas	0.69	13	Parañaque	0.38	12	San Juan	0.29
13	Las Piñas	0.69	14	Taguig	0.29	13	Parañaque	0.27
14	Parañaque	0.50	15	Quezon City	0.26	14	Mandaluyong	0.25
15	Quezon City	0.27	15	Las Piñas	0.26	15	Quezon City	0.20
16	Mandaluyong	0.22	16	Mandaluyong	0.23	16	Taguig	0.08

Ranking of Cities/Municipality based on the Total Number of Obese among children 0-59 months old in NCR, 2016-2018


2016			2017			2018		
Rank	Cities/ Municipality	Total # of Children	Rank	Cities/ Municipality	Total # of Children	Rank	Cities/ Municipality	Total # of Children
1	Manila	1,615	1	Manila	1,196	1	Manila	1,138
2	Caloocan	1,499	2	Caloocan	996	2	Quezon City	799
3	Valenzuela	1,328	3	Quezon City	993	3	Caloocan	522
4	Quezon City	1,121	4	Valenzuela	566	4	Valenzuela	432
5	Pasig	996	5	Marikina	556	5	Marikina	349
6	Taguig	861	6	Pasay	492	6	Pasig	325
7	Marikina	851	7	Pasig	469	7	Las Piñas	297
8	Muntinlupa	569	8	Makati	366	8	Makati	276
9	Makati	528	9	Taguig	332	9	Pasay	249
10	Las Piñas	486	10	Parañaque	304	10	Muntinlupa	229
11	Malabon	431	11	Malabon	290	11	Malabon	227
12	Parañaque	409	12	Muntinlupa	246	12	Parañaque	207
13	Pasay	369	13	Las Piñas	180	13	Navotas	116
14	Navotas	219	14	Navotas	157	14	Mandaluyong	114
15	San Juan	194	15	Pateros	116	15	Pateros	105
16	Pateros	134	16	Mandaluyong	103	16	Taguig	89
17	Mandaluyong	94	17	San Juan	66	17	San Juan	42
Total	11,704		Total	7,428		Total	5,516	

Prevalence of Overweight-for-Length/Height and Obesity among Children 0-59 months old in NCR, per age group, 2018




Highest prevalence of overweight and obesity is found in children 0-5 months.

Prevalence of malnourished among Children 0-59 months old in NCR, 2015-2018




Prevalence of undernutrition among Children 0-59 months old in NCR by LGU, 2018




Prevalence of overweight-for-height and obesity among Children 0-59 months old in NCR by LGU, 2018

Overweight-for-height



Obese



In summary

Decrease in prevalence from 2017 to 2018:



underweight	1.45	➡	1.26
stunting	2.88	➡	2.07
wasting	1.42	➡	0.92
overweight-for-height	0.82	➡	0.59
obese-for-height	0.52	➡	0.38

In summary (cont.)

Highest prevalence of:

- Underweight and Wasting – **Manila**
- Stunting - **Malabon**
- Overweight-for-height and Obesity– **Pateros**

THANK YOU! 😊